## Nye legemidler som ikke har markedsføringstillatelse

For legemidler oppført på listen gjelder retningslinjens vilkår <u>uavhengig av indikasjon for bruken</u>.

Oppdatert: 29.10.2024

Virkestoff	Indikasjon per nå. (Samt mulig andre indikasjoner i fremtiden.)	Orphan medicinal product (Se informasjon om COMP (Komiteen for legemidler mot sjeldne sykdommer) på www.legemi ddelverket.n	Oppført på listen
abicipar pegol	Treatment of neovascular (wet) age related macular degeneration		
acalabrutinib	(AMD) Treatment of mantel cell lymphoma - Kun denne indikasjonen		aug.19 mar.18
acoramidis	Treatment of wild-type or variant transthyretin amyloidosis in adult patients with cardiomyopathy (ATTR-CM)	х	mar.24
allogeneic bone marrow derived mesenchymal stromal cells, ex- vivo expanded	Treatment of graft-versus-host disease.	х	sep.23
alpelisib	Treatment of patients with severe manifestations of PIK3CArelated overgrowth spectrum - Kun denne indikasjonen	х	aug.22
apadamtase alfa	Treatment of congenital thrombotic thrombocytopenic purpura (cTTP) due to ADAMTS13 deficiency	^	jun.23
arimoclomol	Treatment of Niemann-Pick disease type C (NPC)	х	des.20
artesunate (*Kun styrken 60 mg)	Treatment of severe malaria	х	feb.21
aumolertinib	Treatment of adult patients with locally advanced or metastatic non-small cell lung cancer		des.22
autologous human chondrocytes in vitro expanded	Repair of cartilage defects of the knee joint		sep.20

autologous cartilage-derived	Repair of symptomatic, localised, full-		
articular	thickness cartilage defects of the knee		
chondrocytes, in-vitro expanded	joint grade III or IV		
			jan.24
autologous glioma tumor cells,	Treatment of glioma		
inactivated / autologous glioma			
tumor cell lysates, inactivated /			
allogeneic glioma tumor cells,		Х	
inactivated / allogeneic glioma			
tumor cell lysates, inactivated			okt.20
bardoxolone methyl	Treatment of chronic kidney disease		okt.21
· ·	(CKD)	Х	/des.21
belantamab mafodin	Treatment of multiple myeloma		aug.24
belinostat	Relapserad/refraktärt T-cellslymfom		mar.24
belumosudil	Treatment of chronic graft-versushost		
	disease (cGVHD)		
	after failure of at least two prior lines of	х	
	systemic therapy/		okt. 24/
	Graft versus host disease (GvHD)		nov. 22
beremagene-geperpavec			
	Treatment of patients from birth with		
	dystrophic epidermolysis bullosa (DEB)		
	with mutation(s) in the collagen type VII	x	
	alpha 1 chain (COL7A1) gene. Juni 2023:		
	Treatment of wounds in patients with		des.23
	dystrophic epidermolysis bullosa (DEB)		/jun.23
belzutifan	Treatment of adult patients with		
	advanced renal cell carcinoma (RCC) and		
	treatment of adult patients with von		
	Hippel-Lindau (VHL) disease		jan.24
	Neoadjuvant treatment of adult patients		
	with locally advanced fully resectable		
bifikafusp alfa /onfekafusp alfa	melanoma		jul.24
casimersen	Treatment of duchennes muscular		okt.24
	dystrophy		
catumaxomab	Indicated for the treatment of malignant		
	ascites		mai.24
concizumab	Indicated for routine prophylaxis to		
	prevent or reduce the frequency of		
	bleeding in patients with		
	- haemophilia A (congenital factor VIII		
	deficiency) with FVIII inhibitors ≥ 12		
	years of age haemophilia B (congenital		
	factor IX deficiency) with FIX inhibitors		
	of any age.		feb.23
conanlicih	Treatment of non-hodgkin lymphoma		mar.18
copanlisib	Treatment of adult patients with		11101.10
copanlisib	marginal zone lymphoma	х	jul.22
Copullisis	marginal zone tymphoma		Jui.22

Treatment of anemia assiciated with		
chronic kidney disease (CKD) in adults		apr.22
Treatment of adult patients with locally		·
advanced or metastatic non squamous		
nonsmall cell lung cancer (NSCLC)		apr.24
Treatment of neurodegeneration with		· ·
brain iron accumulation - Kun denne	x	
indikasjonen		jun.19
Treatment of ambulatory patients aged		,
3 to 7 years old with Duchenne muscular		
dystrop. Treatment of Duchenne	Х	jul.24/
muscular dystrophy		aug.23
Treatment of glioblastoma (GBM)		nov.18
Indicated for the treatment of cystic		
fibrosis		jun.24
Treatment of periodic paralysis		feb.19
, , , ,	Y	mar.24
·	^	
· -		mai.24
, , ,		
•	v	
nacmatological manghaneles	^	jul.24
Treatment of adult patients with small		, <u> </u>
·	v	
	^	feb.20
-		jan.18
Treatment of familial adenomatous		,,,,,,
polyposis	Х	jul.20
Treatment of acute myeloid leukaemia		mar.18
·		nov.17
Treatment of acute radiation syndrome	х	
,		
·		
	х	
·		nov.23
		okt.24
·		
,		
phosphorus levels		jun.24
p		,
Intravenous treatment of iron deficiency		
Intravenous treatment of iron deficiency anaemia (IDA)		iun 22
anaemia (IDA)		jun.22
anaemia (IDA)  Routine prevention of attacks of	х	
anaemia (IDA)  Routine prevention of attacks of hereditary angioedema (HAE)	х	des.23
anaemia (IDA)  Routine prevention of attacks of	х	jun.22 des.23 mar.18 okt.24
	Treatment of adult patients with locally advanced or metastatic non squamous nonsmall cell lung cancer (NSCLC)  Treatment of neurodegeneration with brain iron accumulation - Kun denne indikasjonen  Treatment of ambulatory patients aged 3 to 7 years old with Duchenne muscular dystrop. Treatment of Duchenne muscular dystrophy  Treatment of glioblastoma (GBM)  Indicated for the treatment of cystic fibrosis  Treatment of ATTR amyloidosis  To slow disease progression in adult patients with Alzheimer's disease (AD)  Treatment of adult patients with haematological malignancies  Treatment of adult patients with small lymphocytic lymphoma (SLL) - Kun denne indikasjonen  Amyotrophic lateral sclerosis (ALS)  Treatment of familial adenomatous polyposis  Treatment of acute myeloid leukaemia  Treatment of acute radiation syndrome  Treatment of adult patients with hereditary transthyretin-mediated amyloidosis (ATTRv)  Treatment of duchennes muscular dystrophy  Treatment of iron deficiency anaemia in adult chronic kidney disease (CKD) patients with elevated serum	chronic kidney disease (CKD) in adults  Treatment of adult patients with locally advanced or metastatic non squamous nonsmall cell lung cancer (NSCLC)  Treatment of neurodegeneration with brain iron accumulation - Kun denne indikasjonen  Treatment of ambulatory patients aged 3 to 7 years old with Duchenne muscular dystrop. Treatment of Duchenne muscular dystrophy  Treatment of glioblastoma (GBM)  Indicated for the treatment of cystic fibrosis  Treatment of ATTR amyloidosis  To slow disease progression in adult patients with Alzheimer's disease (AD)  I Treatment of adult patients with haematological malignancies  Treatment of adult patients with small lymphocytic lymphoma (SLL) - Kun denne indikasjonen  Amyotrophic lateral sclerosis (ALS)  Treatment of acute myeloid leukaemia  Treatment of acute myeloid leukaemia  Treatment of adult patients with hereditary transthyretin-mediated amyloidosis (ATTRv)  Treatment of iron deficiency anaemia in adult chronic kidney disease (CKD) patients with elevated serum

govorestat	Treatment of adults and		
govorestat	children aged 2 years and older with a		
	confirmed diagnosis of classic	x	
	galactosemia		jan.24
idebenone	8		Jun.24
idebellone	Treatment of respiratory dysfunction in		
	patients with Duchenne muscular		
	dystrophy (DMD) not using	x	
	glucocorticoids - Kun denne indikasjonen		
	glacocorticolas Kan define maikasjonen		aug.19
imetelstat	Treatment of adult patients with		aug.13
meterstat	transfusion-dependent anaemia due to		
	very low, low and intermediate-risk	x	
	myelodysplastic syndromes (MDS) with	^	
	ring sideroblasts		nov.23
inavolisib			1104.23
IIIavUIISID	Treatment of adult patients with PIK3CA-mutated, hormone receptor (HR)-		
	positive, human epidermal growth factor		
	receptor 2 (HER2)-negative, locally		
	advanced or metastatic breast cancer		iun 24
!f:	Treatment of cholangiocarcinoma		jun.24
infigratinib	Treatment of cholanglocal chloma	x	des.21
ipatasertib	Treatment of breastcancer		mar.18
l-acetylleucine	indicated in adults and children from		
i-acetyliedcille	birth for chronic treatment of Niemann-		
	Pick Type C (NPC)		jul.24
lazertinib	Treatment of adult patients with		,
	advanced nonsmall cell lung cancer		
	(NSCLC)		mar.24
lecanemab	Indicated as a disease modifying		
lecanemab	treatment in adult patients with Mild		
	Cognitive Impairment due to Alzheimer's		
	disease and Mild		
	Alzheimer's disease (Early Alzheimer's		
	disease)		feb.23
1	Treatment of vision loss due to Leber		160.23
lenadogene nolparvovec	Hereditary Optic Neuropathy (LHON)	x	nov.20
loniolicih	Tiercultury Optic Neuropathy (Litoly)		1104.20
leniolisib	Treatment of activated phosphoinositide	, l	
	3-kinase delta syndrome (APDS)	Х	nov.22
lifileucel	Treatment of unresectable or metastatic		1104.22
mneucei	melanoma		sep.24
linyosoltamah	Monotherapy for the treatment of adult		3ep.24
linvoseltamab	patients with relapsed or refractory		
	multiple myeloma		mar.24
LUTO14	manapic mycloma		111d1.24
LUT014	Topical BRAF Inhibitor Therapy for EGFR		
	Inhibitor–Induced Acneiform Rash		nov 22
	minoitor—muuteu Athenorm Kasii		nov.23

marstacimab	Indicated for routine prophylaxis of		
	bleeding episodes in patients with	х	
	haemophilia A or haemophilia B		nov.23
mirvetuximab soravtansine	Treatment of ovarian, fallopian tube, or		
	primary peritoneal cancer	Х	nov.23
mirdametinib	Treatment of neurofibromatosis type 1		24
mobocertinib	Treatment of adult patients with		sep.24
mobocertimb	epidermal growth factor receptor (EGFR)		
	exon 20 insertion mutation-positive		
	locally advanced or metastatic non-small		
	cell lung cancer (NSCLC).		jan.21
mozafancogene autotemcel	Treatment of paediatric patients with		jan.21
mozarancogene autotemicer	Fanconi Anaemia Type A	x	mai.24
naporafenib	Treatment of advanced solid tumours		
naporaremb	including ovarian cancer		okt.21
nedosiran			
	Til behandling av primær hyperoksaluri.		mai.24
nipocalimab	treatment of generalised Myasthenia		
	Gravis		okt.24
nemolizumab	Treatment of moderate-to-severe atopic		
	dermatitis and for the treatment of		
	prurigo nodularis		mar.24
nirogacestat	Treatment of desmoid tumours	Х	apr.24
obecabtagene autoleucel	Treatment of patients with relapsed or		
	refractory B cell precursor acute	x	
	lymphoblastic leukaemia (ALL)		mai.24
obeticholic acid	Improvement of liver fibrosis and		
	resolution of steatohepatitis in adult		
	patients with significant liver fibrosis due		
	to nonalcoholic steatohepatitis (NASH).		
	Kun denne indikasjonen		aug.20
obnitix	Treatment of RR-aGVHD		apr.24
odevixibat	Treatment of cholestatic pruritus in		- 1-
	Alagille syndrome (ALGS) <b>Kun denne</b>		
	indikasjonen		jan.24
Odronextamab	Treatment of blood cancers (follicular		
	lymphoma (FL) or diffuse large B cell		
	lymphoma (DLBCL) and large B cell		
	lymphoma)		mai.24
olezarsen	Treatment of familial chylomicronemia		
			sep.24
omadacycline tosylate	Treatment of community-acquired		
	bacterial pneumonia (CABP) and acute		
	bacterial skin and skin structure		
	infections (ABSSSI) in adults		okt.18

omecamtiv mecarbil	Treatment of adult patients with	Ī	
	symptomatic chronic heart failure and		
	reduced ejection fraction less than 30%		
	,		feb.23
oportuzumab monatox	Treatment and prevention of recurrence		
•	of carcinoma-in-situ (CIS) of the urinary		
	bladder and prevention of recurrence of		
	high grade Ta and/or T1 papillary		
	tumours		apr.21
parsaclisib	Treatment of adult patients with		'
	relapsed or refractory marginal zone	x	
	lymphoma (MZL)	^	feb.22
pegcetacoplan	Treatment of geographic atrophy (GA)		
pegeetacopian	secondary to age-related macular		
	degeneration (AMD) - <b>Kun denne</b>	x	
	indikasjonen		feb.23
pevonedistat	Higher-risk chronic myelomonocytic	-	160.23
pevonedistat	leukemia (HR-CMML), low-blast acute		
	myeloid leukemia (LB-AML) and higher		
	risk myelodysplastic syndromes		20
,	Treatment of symptomatic tenosynovial		aug.20
plazomicin			
	giant cell tumor (TGCT), also known as		
	pigmented villonodular synovitis (PVNS)		
	and giant cell tumor of the tendon		
	sheath (GCT-TS), where surgical	X	
	resection is potentially associated with		
	worsening functional limitation or		
	severe morbidity		
			mar.19
plazomicin	Treatment of Complicated urinary tract		
	infection (cUTI), including		
	pyelonephritis; treatment of		
	Bloodstream infection (BSI);		
	treatment of infections due to		
	Enterobacteriaceae		nov.18
pridopidine	Treatment of Huntington's disease	Х	sep.24
repotrectinib	Treatment of ROS1-positive locally ad		
	vanced ormetastatic non-small cell lung		
	cancer (NSCLC) and for solid tumours;		
	ROS1+ Advanced Non-Small Cell Lung		
	Cancer (NSCLC) or NTRK+ Advanced Solid		jan.24,
	Tumors		nov.21
resmetirom	Treatment of adults with nonalcoholic		
	steatohepatitis (NASH)/metabolic		
	dysfunctionassociated steatohepatitis		
	(MASH) with liver fibrosis		apr.24
resminostat	Treatment of patients with advanced	+	
i commodut	stage mycosis fungoides (MF) and Sézary		
	syndrome (SS)		apr.24
	-1		~p::- !

retifanlimab	Treatment of locally advanced or		
	metastatic squamous carcinoma of the		
	anal canal (SCAC) who have progressed	x	
	on or who are intolerant of platinum	^	
	(kun denne indikasjonen)		mar.21
rilonacept	treatment of idiopathic pericarditis	х	okt.24
romidepsin	<u> </u>	^	
Tomacpsiii	Treatment of peripheral T-cell		
	lymphoma (PTCL) in adult patients who		
	have received at least one prior therapy.		feb.22
rovalpituzumab tesirine	Small cell lung cancer (SCLC)		jan.18
savolitinib	monotherapy for the treatment of adult		<b>,</b>
Savonenno Savonenno	patients with relapsed or refractory		
	multiple myeloma		mar.23
sebetralstat	treatment of hereditary angioedema		
3CDCH distat	(HAE) attacks in adult and adolescents	х	
	aged 12 years and older.	^	sep.24
seladelparlysindihydrat	, , , , , , , , , , , , , , , , , , , ,		3cp.2 1
seiaueipariysiiluiliyurat	A peroxisome proliferator receptor delta		
	(PPARδ) activator indicated for the		
	treatment of primary biliary cholangitis		
	(PBC) including pruritus in adults without		
	cirrhosis or with compensated cirrhosis		
	(Child-Pugh A) in combination with		
	ursodeoxycholic acid (UDCA) who have		
	an inadequate response to UDCA alone,		
	or as monotherapy in those unable to		
	tolerate UDCA.		apr.24
coniontorio	Treatment of hyperphenylalaninemia	-	арт.24
sepiapterin	(HPA) in adult and paediatric patients		
	with phenylketonuria (PKU)		
	patients with phenylketonuria (PKU).		jun.24
and Park	First-line treatment of adult patients		Ju11.24
serplulimab	with extensive-stage small cell lung		
	cancer (ES-SCLC)	Х	an 22
	cancer (E3-3CEC)		apr.23
sipavibart	Dro akenanaringenrafidakea mat savid		
	Pre-eksponeringsprofylakse mot covid-		
	19-sykdom hos spesielt sårbare grupper		
	hvor vaksinasjon ikke gir tilstrekkelig		
	beskyttelse mot alvorlig sykdom. Indicated for the treatment of		mar.24
siponimod			
	thrombocytopenia - <b>Kun denne</b>		1. 40
	indikasjonen		okt.18
sodium phenylbutyrate/	Treatment of amyotrophic lateral	x	_
ursodoxicoltaurine	sclerosis (ALS)	,	apr.22
surufatinib	Treatment of progressive		
	neuroendocrine tumours		jul.21
tazemetostat	Treatment of malignant mesothelioma	l	
	and Epithelioid sarcoma		mai.21

tegomil fumarat	Treatment of multiple sclerosis		mai.24
teplizumab	Utsette klinisk debut av type 1 diabetes		jul.24
teprotumumab	Treatment of moderate to severe Thyroid Eye Disease (TED)		jun.24
tiratricol	Treatment of monocarboxylate transporter 8 (MCT8) deficiency	х	nov.23
tisotumab vedotin	treatment of adult patients with recurrent or metastatic cervical cancer with disease progression on or after systemic therapy		mar.24
trastuzumabduocarmazine	Treatment of HER2 (Human Epidermal Growth Factor Receptor 2)-positive metastatic breast		aug.22
troriluzole	Treatment of adult patients with spinocerebellar ataxia genotype 3 (SCA3	х	nov.23
valemetostat	Ved tilbakevendende/refraktær (R/R) adult T-cell leukemia/lymphoma (ATLL).		apr.22
veliparib	Treatment of BRCA 1, BRCA 2, BARD1 and/orr PALB2 mutated cancer		mar.18
viltolarsen	Treatment of duchennes muscular dystrophy		okt.24
vimseltinib	Treatment of adult patients with tenosynovial giant cell tumour (TGCT) who are not amenable to surgery	х	aug.24
Vorasidenib	Til behandling av gliom		mai.24
zanidatamab	Treatment of biliary tract cancer	Х	jul.24