## Nye legemidler som ikke har markedsføringstillatelse

For legemidler oppført på listen gjelder retningslinjens vilkår <u>uavhengig av indikasjon for bruken.</u>

Oppdatert: 21.01.2021

Oppdatert: 21.01.2021			
	Indikasjon per nå. (Samt mulig andre indikasjoner i	Orphan medicinal product (Se informasjon om COMP (Komiteen for legemidler mot sjeldne sykdommer) på www.legemi ddelverket.n	Oppført på
Virkestoff	fremtiden.)	О	listen
Abicipar pegol	Treatment of neovascular (wet) agerelated macular degeneration (AMD)		aug.19
Abrocitinib	Indicated for the treatment of moderate- to-severe atopic dermatitis in adults and adolescents 12 years and older who are candidates for systemic therapy.		
			okt.20
Acalabrutinib	Treatment of mantel cell lymphoma (kun denne indikasjonen)		mar.18
Aducanumab	Alzheimer's disease		nov.20
	Indicated as an add-on therapy for the treatment of adult patients with moderate to severe systemic lupus erythematosus (SLE), despite standard		
Anifrolumab	therapy		nov.20
Arachis hypogaea allergens	Immunotherapy (OIT) for patients aged 4 to 17 years with a confirmed diagnosis of peanut allergy		aug.19
Arimoclomol	Treatment of Niemann-Pick disease type C (NPC)	х	des.20
Asciminib	Treatment for acute myeloid leukaemia (AML) and acute lymphoblastic leukemia (ALL)		des.19
Autologous cd34+ cell enriched population that contains hematopoietic stem and progenitor cells transduced ex vivo using a lentiviral vector encoding the human arylsulfatase a gene	Treatment of metachromatic leukodystrophy (MLD)	x	des.19

Repair of cartilage defects of the knee		
joint		
		sep.20
Treatment of adult patients with		
relapsed or refractory Mantle cell		
lymphoma (MCL)		
	Y	aug.20
Treatment of glioma	^	uug.20
_		
	X	okt.20
Treatment of granulomatosis with		
polyangiitis (GPA) or microscopic		
	х	nov.20
1		
	x	okt.20
<del>-  </del>		
		mar.18
		jun.20
Prevention of hereditary angioedema		james
, ,	x	apr.20
4`····		sep.20
		·
, , ,		mar.18
Treatment of sickle cell disease	х	aug.19
Treatment of neurodegeneration with		
_		
	x	jun.19
Treatment of glioblastoma (GBM)		nov.18
Treatment of periodic paralysis		feb.19
Treatment of mismatch repair deficient		
(dMMR)/microsatellite instability-high		
(MSI-H) endometrial cancer (EC)		1
[(WSI-II) endomedial cancel (EC)		
	Treatment of adult patients with relapsed or refractory Mantle cell lymphoma (MCL)  Treatment of granulomatosis with polyangiitis (GPA) or microscopic polyangiitis (MPA)  For long-term enzyme replacement therapy for the treatment of patients with Pompe disease  Treatment of mastocytosis (Kun denne indikasjonen)  Treatement for acute myeloid leukaemia * Gjelder kun andre formuleringer enn pulver til injeksjonsvæske, suspensjon.  Prevention of hereditary angioedema (HAE)  Treatment of plaque psoriasis  Treatment of sickle cell disease  Treatment of non-hodgkin lymphoma  Treatment of neurodegeneration with brain iron accumulation (Kun denne indikasjonen)  Treatment of glioblastoma (GBM)  Treatment of mismatch repair deficient (dMMR)/microsatellite instability-high	Treatment of adult patients with relapsed or refractory Mantle cell lymphoma (MCL)  X  Treatment of granulomatosis with polyangiitis (GPA) or microscopic polyangiitis (MPA)  For long-term enzyme replacement therapy for the treatment of patients with Pompe disease  Treatment of mastocytosis (Kun denne indikasjonen)  Treatement for acute myeloid leukaemia * Gjelder kun andre formuleringer enn pulver til injeksjonsvæske, suspensjon.  Prevention of hereditary angioedema (HAE)  Treatment of plaque psoriasis  Treatment of sickle cell disease  X  Treatment of non-hodgkin lymphoma  Treatment of neurodegeneration with brain iron accumulation (Kun denne indikasjonen)  Treatment of glioblastoma (GBM)  Treatment of periodic paralysis  Treatment of mismatch repair deficient (dMMR)/microsatellite instability-high

Duvelisib	Treatment of adult patients with		
	relapsed or refractory chronic		
	lymphocytic leukaemia (CLL) or small		
	lymphocytic lymphoma (SLL) and		
	relapsed or refractory follicular		
	lymphoma (FL)	Χ	feb.20
Edaravone	Amyotrophic lateral sclerosis (ALS)		jan.18
	Treatment of familial adenomatous		, ,
Eflornithine / sulindac	polyposis	Х	jul.20
Ziioriiiciiiic y saiiiiaac	Treatment of aromatic L-amino acid		janzo
Eladocagene exuparvovec	decarboxylase (AADC) deficiency	X	mar.20
Liadocagene exuparvovec	Treatment of ABCD1 genetic mutation	^	11101.20
	_		
Clinal da nama a contata manal	and cerebral adrenoleukodystrophy		-1+ 20
Elivaldogene autotemcel		Х	okt.20
	Treatment of acute myeloid leukaemia		
Enasidenib			mar.18
	Treatment of acute radiation syndrome		
Entolimod		Χ	nov.17
Erdafitinib	Treatment of adults with locally		
	advanced or metastatic urothelial		
	carcinoma		nov.19
Evinacumab	Treatment of Homozygous Familial		
	Hypercholesterolemia (HoFH)		okt.20
fedratinib	Treatment of primary myelofibrosis, post		
	polycythaemia vera myelofibrosis or post		
	essential thrombocythaemia		
	myelofibrosis	Х	aug.20
Finerenone	Delay progression of kidney disease,		5.5.8.25
T meremone	reduce the risk of cardiovascular		
	mortality and morbidity		des.20
Fenfluramine	Treatment of seizures associated with		uc3.20
	l l		
	Dravet syndrome in children aged 2 years		
Cl. Laurian	to 17 years and adults.	Х	mar.19
Glutamine	Treatment of sickle cell disease		mar.18
	Treatment of patients at risk of		
Glucarpidase	methotrexate toxicity	Х	sep.20
	Replacement therapy for congenital		
	adrenal hyperplasia (CAH) in adolescents		
	aged 12 years and over and adults (Kun		
Hydrocortison	denne indikasjonen)	Х	apr.20
Idebenone	Treatment of respiratory dysfunction in		·
	patients with Duchenne muscular		
	dystrophy (DMD) not using		
	glucocorticoids (Kun denne indikasjonen)		
	Discocol decide (Nati acime maikasjonen)	Х	aug.19
Idecabtagene vicleucel	Treatment of multiple myeloma		jun.20
		Х	
Ipatasertib	Treatment of breastcancer		mar.18

Ivosidenib	Treatment of adult patients (≥ 18 years		
ivosidellib	old) with relapsed or refractory acute		
	myeloid leukaemia (AML) with an		
	isocitrate dehydrogenase-1 (IDH1) R132		
	mutation		
	mutation	X	feb.19
Lasmiditan	Acute treatment of migraine with or		100.13
	without aura in adults		des.20
Lenadogene nolparvovec	Treatment of vision loss due to Leber		
	Hereditary Optic Neuropathy (LHON)		
		Х	nov.20
Lisocabtagene maraleucel	Treatment of large B-cell lymphoma,		
	diffuse large B-cell lymphoma (DLBCL),		
	primary mediastinal large B-cell		
	lymphoma (PMBCL) and follicular		
	lymphoma grade 3B (FL3B)	Х	aug.20
Lonafarnib	Treatment of Hutchinson-Gilford		
	Progeria Syndrome and Progeroid		
	Laminopathies	Х	mai.20
	Treatment of growth hormone deficiency		
Lonapegsomatropin		Χ	okt.20
	Treatment of Progressive Familial		
Maralixibat	Intrahepatic Cholestasis Type 2	Х	des.20
	Lungekreft med EGFR mutasjon i Exon 20		
Mobocertinib			jan.21
Moxetumomab pasudotox	Relapsed or refractory hairy cell		
	leukaemia (HCL) after receiving at least		
	two prior systemic therapies	Х	feb.20
Obiltoxaximab	Treatment of inhalational anthrax due to		
	Bacillus anthracis	Х	aug.19
Obeticholic acid	improvement of liver fibrosis and		
	resolution of steatohepatitis in adult		
	patients with significant liver fibrosis due		
	to nonalcoholic steatohepatitis (NASH)		
	Kun denne indikasjonen		aug.20
Odevixibat	Treatment of progressive familial		
	intrahepatic cholestasis (PFIC)	Х	des.20
Ofatumumab	Treatment of relapsing forms of multiple		
	sclerosis (Kun denne indikasjonen)		
			2UG 20
Olipudase alfa	Treatment of non-neurological		aug.20
Onpuduse und	manifestations of acid sphingomyelinase		
	deficiency		okt.18
Omadacycline tosylate	Treatment of community-acquired		081.10
omadacycline tosyldte	bacterial pneumonia (CABP) and acute		
	bacterial skin and skin structure		
	infections (ABSSSI) in adults		
	ווו מענונא אווי מענינא אווי מענינא		ak+ 10
			okt.18

	1		
Pegcetacoplan	Paroxysmal nocturnal haemoglobinuria		120
	(PNH)	Х	okt.20
Pemigatinib	Treatment of locally advanced or		f. b. 20
2	metastatic cholangiocarcinoma		feb.20
Pertuzumab / trastuzumab (Kun	•		
denne kombinasjonen, ikke løs	metastatic breast cancer		
kombo)			aug.20
	Higher-risk chronic myelomonocytic		
	leukemia (HR-CMML), low-blast acute		
Pevonedistat	myeloid leukemia (LB-AML) and higher-		aug.20
Pexidartinib	Treatment of symptomatic tenosynovial		
	giant cell tumor (TGCT), also known as		
	pigmented villonodular synovitis (PVNS)		
	and giant cell tumor of the tendon sheath		
	(GCT-TS), where surgical resection is		
	potentially associated with worsening		
	functional limitation or severe morbidity		
		Х	mar.19
Plazomicin	Treatment of Complicated urinary tract		
	infection (cUTI), including pyelonephritis;		
	treatment of Bloodstream infection (BSI);		nov.18
Ponesimod	Treatment of adult patients with		
	relapsing forms of multiple sclerosis		
	(RMS) with active disease defined by		apr.20
Pralsetinib	Treatment of non-small cell lung cancer		
	(NSCLC)		
	l` ·		jun.20
Quizartinib	Treatment for acute myeloid leukaemia		janizo
Quizar cirrio	Treatment for abate myerora realiaerma	Х	nov.18
Ranibizumab	Treatment of neovascular age-related		
	macular degeneration (AMD)		
	The same of the sa		okt.20
	Indicated for procedural sedation		0.10.20
			feb.20
Ripretinib	Treatment of patients with advanced		100.20
Mpretimo	gastrointestinal stromal tumour (GIST)		
	gastrollitestillar strolliar tulliour (dist)		jan.20
Risdiplam	Treatment of spinal muscular atroophy		jan.20
Marpiani	(SMA)	Х	mai.20
Roxadustat	Treatment of anaemia	^	jun.20
Rovalpituzumab tesirine	Small cell lung cancer (SCLC)		jan.18
Satralizuma	Treatment of adult and adolescent		jan.10
Jac. diizama	patients from 12 years of age with		
	neuromyelitis optica spectrum disorders		
	(NMOSD)	Х	okt.19
	(INIVIOSO)	^	UKI.13

Selinexor	Treatment of patients with relapsed		
	refractory multiple myeloma (RRMM)		
		Х	jan.19
Selpercatinib	Indicated for the treatment of adults		
	with: advanced RET fusion-positive non-		
	small cell lung cancer (NSCLC) who		
	require systemic therapy; advanced RET		
	fusion-positive thyroid cancer who		
	require systemic therapy and who have		
	progressed following prior treatment. As		
	monotherapy is indicated for the		
	treatment of adults and adolescents 12		
	years and older with advanced RET-		
	mutant medullary thyroid cancer( MTC)		
	who require systemic therapy		
			aug.20
Selumetinib	Treatment of neurofibromatosis type 1		mar.18,
	(NF1)	x	apr.20
Setmelanotide	Treatment of obesity and the control of		
	hunger associated with deficiencies in	Х	aug.20
Siponimod	Indicated for the treatment of	^	aug.20
Siponimou	thrombocytopenia (* kun denne		
			okt.18
Somanacitan	indikasjonen)		UK1.10
Somapacitan	Indicated for the replacement of		
	endogenous GH with growth hormone		
	deficiency (AGHD)	Х	okt.19
Tafasitamab	Indicated in combination with		
	lenalidomide followed by Tafasimab		
	monotherapy for the treatment of adult		
	patients with relapsed or refractory		
	diffuse large B-cell lymphoma (DLBCL),		
	including DLBCL arising from low grade		
	lymphoma, who are not eligible for, or		
	refuse, autologous stem cell transplant		
	(ASCT)		
		Х	jun.20
Tagraxofusp	Treatment of adult patients with blastic		
	plasmacytoid dendritic cell neoplasm		
	(BPDCN)	x	feb.19
	Treatment of prostatecancer (kun denne		
Talazoparib	indikasjonen)		mar.18
	Treatment of orthopoxvirus disease		
Tecovirimat			nov.20
	Indicated for the treatment of adult		
Tepotinib	patients with advanced non-small cell		des.20
Trastuzumab Deruxtecan <i>(Kun</i>	Treatment of HER2 Positive Metastatic		
dette virkestoffet)	Breast Cancer		jul.20

	Treatment of moderate-to-severe atopic		
	dermatitis in adult patients who are		
	candidates for systemic therapy		
Tralokinumab			jun.20
	Treatment of metastatic breast cancer or		
	brain metastases		
Tukatinib			aug.20
Valoctocogene roxaparvovec	Treatment of haemophilia A		
		X	feb.20
	Treatment of BRCA 1, BRCA 2, BARD1		
Veliparib	and/orr PALB2 mutated cancer		mar.18
	Treatment of symptomatic chronic heart		
Vericiguat	failure		jul.20
	Indicated for the treatment of		
Vosoritide	achondroplasia	х	sep.20
Zanubrutinib	Treatment of Waldenström's		
	macroglobulinaemia (WM)	х	jul.20